

GOLD EAGLE CO

-- 765-1069 STA-BIL FUEL STABILIZER

=====  
MSDS Safety Information  
=====

FSC: 4210  
NIIN: 00-134-8955  
MSDS Date: 02/20/1992  
MSDS Num: CCVQW  
Product ID: 765-1069 STA-BIL FUEL STABILIZER  
MFN: 03  
Responsible Party  
Cage: 2M612  
Name: GOLD EAGLE CO  
Address: 4400 S KILDARE  
Box: 97267  
City: CHICAGO IL 60690  
Info Phone Number: 312-376-4400 / FAX 312-376-3245  
Emergency Phone Number: 800-535-5053/800-424-9300(CHEMTREC)  
Review Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 70842  
Name: BALKAMP INC  
Address: 2601 S HOLT ROAD  
City: INDIANAPOLIS IN 46241  
Phone: 317-244-7241  
Cage: 2M612  
Name: GOLD EAGLE COMPANY  
Address: 4400 S KILDARE BLVD.  
Box: 97267  
City: CHICAGO IL 60632-4372  
Phone: 773-376-4400  
Cage: 050Q3  
Name: NAPA, A DIVISION OF LINCOLN AUTOMOTIVE  
Address: ONE LINCOLN WAY  
City: ST. LOUIS MO 63120-1578  
Phone: 414-255-5520

=====  
Item Description Information  
=====

Item Manager: S9I  
Item Name: STABILIZER, GASOLINE  
Specification Number: NONE  
Type/Grade/Class: NONE  
Unit of Issue: EA

UI Container Qty: Z  
Type of Container: UNKNOWN

=====  
Ingredients  
=====

Cas: 64742-94-5  
RTECS #: WF3100000  
Name: HEAVY AROMATIC NAPHTHA (SOLVENT NAPHTHA)  
% Wt: 90-100  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED

-----  
Name: ADDITIVE  
% Wt: 0-5  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED

-----  
Cas: 91-20-3  
RTECS #: QJ0525000  
Name: NAPHTHALENE (SARA 313) (CERCLA)  
% Wt: 0-5  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: 10 PPM  
ACGIH TLV: 10 PPM/15 STEL; 9596  
EPA Rpt Qty: 100 LBS  
DOT Rpt Qty: 100 LBS

=====  
Health Hazards Data  
=====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.  
Route Of Entry Inds - Inhalation: YES  
Skin: YES  
Ingestion: YES  
Carcinogenicity Inds - NTP: NO  
IARC: NO  
OSHA: NO  
Effects of Exposure: INHAL: LOW RISK OF INHAL. NOT EXPECTED TO CAUSE IRRIT.  
SKIN: NOT EXPECTED TO CAUSE IRRIT. INGEST: LOW ORDER OF ACUTE ORAL TOXICITY BUT  
MAY BE ASPIRATED INTO LUNGS DURING INGEST OR VOMIT. EYE: MAY CAUSE  
IRRIT.  
Explanation Of Carcinogenicity: PER MSDS: CARCINOGENIC: NTP/IARC/  
OSHA: NO.  
Signs And Symptoms Of Overexposure: ASPIRATED INTO LUNGS DURING INGEST OR  
VOMIT. EYE IRRIT.  
Medical Cond Aggravated By Exposure: EXISTING DERMATITIS MAY BE AGGRAVATED.

First Aid: INHAL: REMOVE TO FRESH AIR. RESTORE OR SUPPORT BREATHING AS REQUIRED. SEEK IMMEDIATE MEDICAL ATTENTION. SKIN: WASH WITH SOAP/WATER. IRRITATION PERSISTS/DEVELOPS SEEK MEDICAL ATTENTION. INGEST: DO NOT INDUCE VOMITING. CALL PHYSICIAN IMMEDIATELY. EYE: FLUSH WITH RUNNING WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION.

=====  
Handling and Disposal  
=====

Spill Release Procedures: REMOVE SOURCES OF HEAT/IGNITION. PROVIDE ADEQUATE VENTILATION. CONTAIN LEAK. ABSORB WITH OIL DRY/SAND/INERT ABSORBENT MATERIAL & PLACE IN CLOSED METAL CONTAINER.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS. SUBJECT TO REPORTING REQUIREMENTS OF SARA 313/40CFR 372.

Handling and Storage Precautions: STORE IN COOL (<150°F) DRY AREA AWAY FROM STRONG OXIDANTS.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

=====  
Fire and Explosion Hazard Information  
=====

Flash Point Method: TCC

Flash Point Text: 150°F, 66°C

Lower Limits: 0.8

Upper Limits: 7.0

Extinguishing Media: CO<sub>2</sub>, FOAM, WATER FOG, DRY CHEMICAL.

Fire Fighting Procedures: SELF-CONTAINED BREATHING APPARATUS IN POSITIVE PRESSURE DEMAND SHOULD BE WORN.

Unusual Fire/Explosion Hazard: NOT KNOWN.

=====  
Control Measures  
=====

Respiratory Protection: USE NIOSH/MSHA RESPIRATOR WITH ORGANIC CARTRIDGES OR SUPPLIED AIR RESPIRATOR IF EXPOSURE LEVEL FOR NAPHTHALENE IS EXCEEDED.

Ventilation: PROVIDE PROPERLY ENGINEERED VENTILATION TO MAINTAIN AROMATIC VAPORS BELOW ACGIH TWA FOR NAPHTHALENE.

Protective Gloves: NONE SPECIFIED BY MANUFACTURER.

Eye Protection: SPLASH GOGGLES, FACE SHIELD AS REQUIRED.

Other Protective Equipment: CHEMICAL RESISTANT CLOTHING AS REQUIRED.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

=====  
Physical/Chemical Properties  
=====

HCC: T6

B.P. Text: 350°F, 177°C

M.P./F.P. Text: NA

Vapor Pressure: <3

Vapor Density: 4.8

Specific Gravity: 0.9

Solubility in Water: NEGLIGIBLE  
Appearance and Odor: LIQUID, AMBER COLOR, SOLVENT ODOR.  
Percent Volatiles by Volume: 100

=====  
**Reactivity Data**  
=====

Stability Indicator: YES  
Stability Condition To Avoid: HEAT, OPEN FLAMES, SOURCES OF IGNITION.  
Materials To Avoid: STRONG OXIDANTS.  
Hazardous Decomposition Products: CO, CO2, SMOKE, PRODUCTS OF COMBUSTION.  
Hazardous Polymerization Indicator: NO  
Conditions To Avoid Polymerization: NONE SPECIFIED BY MANUFACTURER.

=====  
**Toxicological Information**  
=====

=====  
**Ecological Information**  
=====

=====  
**MSDS Transport Information**  
=====

=====  
**Regulatory Information**  
=====

=====  
**Other Information**  
=====

=====  
**Transportation Information**  
=====

Responsible Party Code: 2M612  
Trans ID NO: 49478  
Product ID: 765-1069 STA-BIL FUEL STABILIZER  
MSDS Prepared Date: 02/20/1992  
Review Date: 02/10/1997  
MFN: 3  
Net Unit Weight: UNKNOWN  
Multiple KIT Number: 0  
Review IND: Y  
Unit Of Issue: EA  
Container QTY: Z  
Type Of Container: UNKNOWN

=====  
**Detail DOT Information**  
=====

DOT PSN Code: ZZZ  
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====  
Detail IMD Information  
=====

IMD PSN Code: ZZZ  
IMD Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IATA Information  
=====

IATA PSN Code: ZZZ  
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail AFI Information  
=====

AFI PSN Code: ZZZ  
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
HAZCOM Label  
=====

Product ID: 765-1069 STA-BIL FUEL STABILIZER  
Cage: 2M612  
Company Name: GOLD EAGLE COMPANY  
Street: 4400 S KILDARE BLVD.  
PO Box: 97267  
City: CHICAGO IL  
Zipcode: 60632-4372  
Health Emergency Phone: 800-535-5053/800-424-9300(CHEMTREC)  
Label Required IND: Y  
Date Of Label Review: 02/10/1997  
Status Code: C  
Label Date: 02/10/1997  
Origination Code: F  
Eye Protection IND: YES  
Skin Protection IND: YES  
Signal Word: WARNING  
Respiratory Protection IND: YES  
Health Hazard: Moderate  
Contact Hazard: Slight  
Fire Hazard: Slight  
Reactivity Hazard: None  
Hazard And Precautions: INHAL: LOW RISK OF INHAL. NOT EXPECTED TO CAUSE IRRIT.  
SKIN: NOT EXPECTED TO CAUSE IRRIT. INGEST: LOW ORDER OF ACUTE ORAL TOXICITY BUT  
MATL COULD BE ASPIRATED INTO LUNGS DURING INGEST OR VOMIT. EYE: MAY CAUSE  
IRRIT. STORE IN COOL (<150F) DRY AREA AWAY FROM STRONG OXIDANTS. FIRST  
AID: INHAL: REMOVE TO FRESH AIR. RESTORE OR SUPPORT BREATHING AS REQUIRED. SEEK  
IMMED MED ATTN. SKIN: WASH W/SOAP/WATER. IRRIT PER SISTS/DEVELOPS SEEK MED  
ATTN. INGEST: DO NOT INDUCE VOMIT. CALL PHYSICIAN IMMED. EYE: FLUSH W/RUNNING  
FOR @LEAST 15MINS. SEEK MED ATTN. TARGET ORGAN: EYE.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.